

## REFERENCES

---

- <sup>1</sup> Hillier SL, Martius J, Krohn M, Kiviat N, Holmes KK, Eschenbach DA. A case-control study of chorioamnionic infection and histologic chorioamnionitis in prematurity. *New England Journal of Medicine* 1988;319:972-78.
- <sup>2</sup> Romero R, Mazor M, Munoz H, Gomez R, Galasso M, Sherer DM. The preterm labor syndrome. *Annals of the New York Academy of Sciences* 1994; 414-29.
- <sup>3</sup> Watts DH, Krohn MA, Hillier SL, Eschenbach DA. The association of occult amniotic fluid infection with gestational age and neonatal outcome among women in preterm labor. *Obstetrics & Gynecology* 1992; 79:351-57.
- <sup>4</sup> Cassell, G., Hauth, J., Andrews, W. W., Cutter, G., and Goldenberg, R. Chorioamnion colonization: correlation with gestational age in women delivered following spontaneous labor versus indicated delivery. *American Journal of Obstetrics & Gynecology*. 1993. 168, 425.
- <sup>5</sup> Smaill F. Antibiotics for asymptomatic bacteriuria in pregnancy. *Cochrane Database of Systematic Reviews*. 2001.
- <sup>6</sup> Martin DH, Eschenbach DA, Cotch MF, et al. Double-blind, placebo-controlled treatment trial of *Chlamydia trachomatis* Endocervical infections in pregnant women. *Inf Dis Obstet Gynecol* 1997;5: 10-7.
- <sup>7</sup> McGregor JA, French JI, Parker R, et al. Prevention of premature birth by screening and treatment for common genital tract infections: Results of a prospective controlled evaluation. *Am J Obstet Gynecol* 1995;173:157-67.
- <sup>8</sup> Ugwumadu, A, Manyonda I, Reid F, Hay P. Effect of early oral clindamycin on late miscarriage and preterm delivery in asymptomatic women with abnormal vaginal flora and bacterial vaginosis: a randomized controlled trial. *Lancet* 2003; 361: 983-86.
- <sup>9</sup> Goldenberg RL, Culhane JF, Johnson DC. Maternal infection and adverse fetal and neonatal outcomes. *Clin Perinatol* 2005; 32:523-559.
- <sup>10</sup> Eckert LO. Urinary tract infections. In *Infectious Diseases in Obstetrics and Gynecology. A systematic approach to management*. Task Force for Infectious Diseases in Obstetrics and Gynecology American College of Obstetricians and Gynecologists. 2009.
- <sup>11</sup> Mann JR, McDermott Sm BAO H, Bersabe A. Maternal genitourinary infection and risk of cerebral palsy. *Devel Med and Child Neuro*. 2009;51:282-288.
- <sup>12</sup> Smaill F, Vazquez JC. Antibiotics for asymptomatic bacteriuria in pregnancy. *Cochrane Database of Systematic Reviews* 2007, Issue 2.  
Art No.:CD000490.DOI:10.1002/14651858.CD000490.pub2
- <sup>13</sup> US Preventive Services Task Force. Screening for asymptomatic bacteriuria in adults: US Preventive Services Task Force Reaffirmation Recommendation Statement. *Clinical Guidelines*. *Ann Int Med*. 2008;149:43-7.
- <sup>14</sup> American College of Obstetricians and Gynecologists. *Guidelines for Perinatal Care, 6<sup>th</sup> Edition*. 2007.

- 
- <sup>15</sup>K Mignini L, Carroli G, Abalos E, et al. Accuracy of diagnostic tests to detect asymptomatic bacteriuria during pregnancy. *Obstet Gynecol* 2009;113 (2Pt1):346-52).
- <sup>16</sup> Jayalakshmi J, Jayaram VS. Evaluation of various screening tests to detect asymptomatic bacteriuria in pregnant women. *Indian J Pathol Microbiol* 2008;51:379-81
- <sup>17</sup> Sweet RL, Gibbs RS. (Eds) *Infectious Diseases of the Female Genital Tract*. Fifth Edition Chapter 1. Group B Streptococci. Lippincott Williams & Wilkins New York. 2009
- <sup>18</sup> Schrag S, Gorwitz R, Fultz-Butts K, Schuchat A. Prevention of Perinatal Group B Streptococcal Disease. Center for Disease Control and Prevention. *MMWR* 2002;51(RR11);1-22.
- <sup>19</sup> Center for Disease Control and Prevention. Laboratory practices for prenatal group B streptococcal screening --- Seven states, 2003. *MMWR*;2004; 53(23):506-9.
- <sup>20</sup> Vazquez JC, Villar J. Treatment of symptomatic UTI during pregnancy. *Cochrane Database of Scientific Reviews* 2003; Issue4. Art no. CD002256 DOI:10.1002/14555651858.CD00256. Reviewed and updated January 29, 2006.
- <sup>21</sup> Thomsen AC, Morup L, Hansen KB. Antibiotic elimination of group B streptococci in urine prevention of preterm labor. *Lancet* 1987;1:591-593.
- <sup>22</sup> Hollier LM. Group B Streptococcus. In Soper DE, Hollier LM, Eckert LO, Beigi RH (Eds) *Infectious Diseases in Obstetrics and Gynecology. A Systematic approach to management*. ACOG 2009.
- <sup>23</sup> Centers for Disease Control and Prevention. Prevention of Perinatal Group B Streptococcal Disease. *MMWR* 2010;59;No.RR-10:1-32.
- <sup>24</sup> Schrag SJ, Zell ER, Lynfield R, Roome A, Arnold KE, Craig AS, et al A Population-based comparison of strategies to prevent early onset group B Streptococcal disease in neonates. *New Engl J Med* 2002;347:233-239
- <sup>25</sup> Centers for Disease Control and Prevention. Perinatal Group B Streptococcal Disease After Universal Screening Recommendations—United States, 2003-2005. *MMWR*. 2007;56(28):701-5.
- <sup>26</sup> Centers for Disease Control and Prevention. Sexually Transmitted Diseases Surveillance, 2008. STDs in Women and Infants. Accessed 4/8/10 from: [CDC.gov/std/stats08/womenandinf.htm](http://CDC.gov/std/stats08/womenandinf.htm)
- <sup>27</sup> Center for disease Control and Prevention. Chlamydia Profiles, 2009, accessed 4/22/11, [www.cdc.gov/std/chlamydia2009/stateT1.htm](http://www.cdc.gov/std/chlamydia2009/stateT1.htm)
- <sup>28</sup> Centers for Disease Control and Prevention. Chlamydia Screening Among Sexually Active Young Female Enrollees of Health Plans ---United States, 1999-2001. *MMWR*, 53(42):983-985.
- <sup>29</sup> Paavonen J, Westrom L, Eschenbach D. Pelvic inflammatory disease. In: Holmes KK, Sparling PF, Stamm WE et al, eds. *Sexually Transmitted Diseases*, 4th edition. New York City: McGraw-Hill, Inc, 2008:1017-1050.
- <sup>30</sup> Center for Disease Control and Prevention. CDC Grand Rounds: Chlamydia Prevention: Challenges and Strategies for Reducing Disease Burden and Sequelae. *MMWR*. 2011;60(12);370-373.
- <sup>31</sup> Westrom L, Joesoef R, Reynolds G, et al. Pelvic inflammatory disease and fertility: a cohort study of 1,844 women with laparoscopically verified disease and 657 control women with normal laparoscopy. *Sexually Transmitted Diseases* 1992; 9:185-92.

- <sup>32</sup> Flemming DT, Wasserheit JN. From epidemiological synergy to public health policy and practice: The contribution of other sexually transmitted diseases to sexual transmission of HIV infection. *Sexually Transmitted Infections*. 1999; 75:3-17
- <sup>33</sup> Wasserheit JN. Epidemiologic synergy: interrelationships between human immunodeficiency virus infection and other sexually transmitted diseases. *Sexually Transmitted Diseases* 1992; 19:61-77.
- <sup>34</sup> Cohen I, Veille J-C, Calkins BM. Improved pregnancy outcome following successful treatment of Chlamydial infection. *JAMA* 1990 ;263;3160-3.
- <sup>35</sup> CDC. Screening Tests to detect *Chlamydia trachomatis* and *Neisseria gonorrhoeae* Infections ---2002. *MMWR*. 51(RR15):1-27.
- <sup>36</sup> Tan J, File T, Salata R, Tan M. Expert Guide to Infectious Diseases. 2<sup>nd</sup> Edition. American College of Physicians. 2008
- <sup>37</sup> Gaydos CA, Wright C, Wood BJ, Waterfield G, Hobson S, Quinn TC. Chlamydia trachomatis reinfection rates among female adolescents seeking rescreening in school-based health centers. *Sexually Transmitted Diseases* 2008;35(3):233-7.
- <sup>38</sup> Whittington WL, Kent C, Kissinger P, et al. Determinants of persistent and recurrent Chlamydia trachomatis infection in young women: results of a multicenter cohort study. *Sexually Transmitted Diseases* 2001;28:117-123.
- <sup>39</sup> Holmes KK. Consequences, Recognition, and Management of Specific Sexually Transmitted Diseases During Pregnancy. Chapter 80. In Holmes KK (Ed) *Sexually Transmitted Diseases*. McGraw Hill, 2008
- <sup>40</sup> Beigi RH. Gonorrhea and Chlamydia. In *Infectious Diseases in Obstetrics and Gynecology*. A systematic approach to management. Task Force for Infectious Diseases in Obstetrics and Gynecology American College of Obstetricians and Gynecologists. 2009.
- <sup>41</sup> Mehta SD, Erbeding EJ, Zenilman JM and Rompalo AM. Gonorrhoea reinfection in heterosexual STD clinic attendees: longitudinal analysis of risks for first reinfection. *Sexually Transmitted Infections* 2003;79:124-8.
- <sup>42</sup> Peterman TA, Tian LH, Metcalf CA, et al. High incidence of new sexually transmitted infections in the year following a sexually transmitted infection: a case for rescreening. *Ann Intern Med* 2006;145:564-72.
- <sup>43</sup> Ingraham NR. The value of penicillin alone in the prevention and treatment of congenital syphilis. *Acta Derm Venereol* 1951; 31 (suppl 24): 60-88.
- <sup>44</sup> Centers for Disease Control and Prevention. Congenital Syphilis – United States, 2003-2008. *MMWR* 2010; 59:413-417.
- <sup>45</sup> French JI, McGregor JA. Bacterial vaginosis: history, epidemiology, microbiology, sequel, diagnosis and treatment. Chapter 1. In Borchardt KA, Nobel MA. (Eds) *Sexually Transmitted Diseases. Epidemiology, Pathology, Diagnosis, and Treatment*. CRC Press. New York, NY 1997. Pages: 4-39.
- <sup>46</sup> Eschenbach DA, Hillier SL, Crichlow C, Stevens C, DeRousen T, Holmes KK. Diagnosis and clinical manifestations of bacterial vaginosis. *Am J Obstet Gynecol* 1988;158:819.
- <sup>47</sup> Chen KCS, Amsel R, Eschenbach DA. Holmes KK. Amine content of vaginal fluid from untreated patients with nonspecific Vaginitis. *J Clin Invest*. 1979;63:828-35.
- <sup>48</sup> McGregor JA, French, JI, Jones W, et al. Bacterial vaginosis is associated with prematurity and vaginal fluid mucinase and sialidase: results of a controlled trial of topical clindamycin cream. *Am J Obstet Gynecol*. 1994;170:1048-60.

- <sup>49</sup> Cauci S. Vaginal immunity in bacterial vaginosis. *Curr Infect Dis Report* 2004;6(6):450-6.
- <sup>50</sup> Cauci S, Culhane JF. Modulation of vaginal immune response among pregnant women with bacterial vaginosis by *Trichomonas vaginalis*, *Chlamydia trachomatis*, *Neisseria gonorrhoeae*, and yeast. *Am J Obstet Gynecol* 2007;196(2):133.e1-7.
- <sup>51</sup> Amsel R, Totten PA, Spiegel CA, Chen KCS, Eschenbach DA, Holmes KK. Nonspecific Vaginitis. Diagnostic criteria and microbial and epidemiologic associations. *Am J Med* 1983;74:14.
- <sup>52</sup> Shennan A, Crawshaw S, Briley A, Hwken J, Seed P, Jones G, et al A randomized controlled trial of metronidazole for the prevention of preterm birth in women positive for cervicovaginal fetal fibronectin; The PREMET Study. *BJOG* 2006;113:65-75.
- <sup>53</sup> Andrews WW, Sibai BM, Thom Ea, et al Randomized clinical trial of metronidazole plus erythromycin to prevent spontaneous preterm delivery in fetal fibronectin-positive women. *Obstet Gynecology* 2003;101:847-855.
- <sup>54</sup> Varma R, Gupta JK. Antibiotic treatment of bacterial vaginosis in pregnancy: multiple meta-analyses and dilemmas in interpretation. *Eur J Obstet Gynecol Reprod Biol* 2006;124:10-14.
- <sup>55</sup> Lamont RF, Duncan SLB, Mandal D, Bassett P. Intravaginal clindamycin to reduce preterm birth in women with abnormal genital tract flora. *Obstet Gynecol*. 2003;101:516-22.
- <sup>56</sup> Sangkomkham US, Lumbiganon P, Prascertchareoensook W, Laopaiboon M. Antenatal lower genital tract infection screening and treatment programs for preventing preterm delivery (Review). *The Cochrane Library*. 2009, Issue 1.
- <sup>57</sup> Morency A-M, Bujold E. The effect of second-trimester antibiotic therapy on the rate of preterm birth. *J Obstet Gynaecol Canada*. 2007;29(1):35-44.
- <sup>58</sup> Morales, W.J., Schorr, S., Albritton, J. (2004). Effect of metronidazole in patients with preterm birth in preceding pregnancy and bacterial vaginosis: A placebo-controlled, double-blind study. *American Journal of Obstetrics and Gynecology*, 171(2): 345-347.
- <sup>59</sup> McDonald, H.M., O'Loughlin, J.A., Vigneswaran, R., et al. (1997). Impact of metronidazole therapy on preterm birth in women with bacterial vaginosis flora (*Gardnerella vaginalis*): a randomized, placebo controlled trial. *British Journal of Obstetrics & Gynaecology*, 104: 1391-1397.
- <sup>60</sup> Hauth, J.C., Goldenberg, R.L., Andrews, W.W., et al. (1995). Reduced incidence of preterm delivery with metronidazole and erythromycin in women with bacterial vaginosis. *New England Journal of Medicine*, 333(226): 1732-1736.
- <sup>61</sup> Koumans, E.H., Lane, S.D., Aubry, R., DeMott, K., Webster, N., Levandowski, B.A., Berman, S., Markowitz, L.E. Evaluation of Syracuse Healthy Start's Program for Abnormal Flora Management to Reduce Preterm Birth among Pregnant Women. *Maternal and Child Health Journal*, September 2010. Retrieved from <http://www.springerlink.com/content/r26268712268636p/>
- <sup>62</sup> Carey, C.J., Klebanoff, M.A., Hauth, J.C., Hillier, S.L., Tham, E.A., Ernest, J.M., et al. (2000) Metronidazole to prevent preterm delivery in pregnant women with asymptomatic bacterial vaginosis. *New England Journal of Medicine*, 342: 534.
- <sup>63</sup> Odendaal, H.J., Popov, I., Schoeman J., Smith, M., Grove, D. (2002). Preterm labour—is bacterial vaginosis involved? *South African Medical Journal*, 92(3): 231-4.
- <sup>64</sup> Nygren, P., Fu, R., Freeman, M., Bougatsos, C., Klebanoff, M., Gulse, J.M. (2008). Evidence on the benefits and harms of screening and treating pregnant women who are asymptomatic for bacterial

vaginosis: An update review for the U.S. Preventive Services Task Force. *Annals of Internal Medicine*, 148: 220-233.

<sup>65</sup> Centers for Disease Control and Prevention. *Seroprevalence of Herpes Simplex Virus type 2 among persons aged 14-49 years, U.S., 2005-2008*. MMWR 2010; 59:456-459.

<sup>66</sup> Brown, Z.A., Selke, S., Zeh, J. et al. (2007). The acquisition of herpes simplex virus during pregnancy. *New England Journal of Medicine*. 337:509-515.

<sup>67</sup> Gardella C, Brown Z. (2011). Prevention of neonatal herpes. *British Journal of Obstetrics & Gynaecology*, 118:187-192.

<sup>68</sup> Brown, Z.A., Wald, A., Morrow, R.A., et al. (2003). Effect of serologic status and cesarean delivery on transmission rates of herpes simplex virus from mother to infant. *Journal of the American Medical Association*, 289: 203–9.

<sup>69</sup> California Department of Public Health Sexually Transmitted diseases (STD) Control Branch and California STD Controllers Association. (2007). *Patient-Delivered Partner Therapy for Chlamydia trachomatis and Neisseria gonorrhoeae: Guidance for Medical Providers in California*. Retrieved from [www.cdph.ca.gov](http://www.cdph.ca.gov).

<sup>70</sup> Korst, L.M., Gregory, K.D., Lu, M.C., Reyes, C., Hobel, C.J., Chavez, G.F. A framework for the development of maternal quality of care indicators. (2005) *Maternal and Child Health Journal*. 9(3): 317-41.

<sup>71</sup> Adapted from: Edward H. Wagner, MD, MPH, Chronic Disease Management: What Will It Take To Improve Care for Chronic Illness? *Effective Clinical Practice*, Aug/Sept 1998, Vol 1